

## PNEUMATIC SCISSOR LIFT QUOTATION WORKSHEET

Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Desired Delivery \_\_\_\_\_  
 Phone No. \_\_\_\_\_ Contact Email \_\_\_\_\_ State \_\_\_\_\_

### APPLICATION INFORMATION

How is lift to be used? \_\_\_\_\_  
 \_\_\_\_\_

Equipment mounted to platform: \_\_\_\_\_

Product description: \_\_\_\_\_

Size: \_\_\_\_\_ W x \_\_\_\_\_ L x \_\_\_\_\_ H, WT = \_\_\_\_\_ LB

#### Scissor Lift Information:

Quantity: \_\_\_\_\_ Capacity: \_\_\_\_\_ Platform Size: \_\_\_\_\_ W x \_\_\_\_\_ L

Height Info.: Raised \_\_\_\_\_  
 Lowered \_\_\_\_\_  
 Travel \_\_\_\_\_

Cycle Info.: Cycles/Hour \_\_\_\_\_  
 Raise Time \_\_\_\_\_ sec.

Other: \_\_\_\_\_  
 \_\_\_\_\_

### SPECIFICATIONS

#### Controls:



- Foot Valve
- Hand Valve
- None
- Air Filter/Regulator

#### Plant Air Required:

- 80-100 PSI @ 15 SCFM
- Other \_\_\_\_\_

#### Options:

- Skirting
- Regreasable
- Pit Mount
- Portable



SCISSOR LIFT SHOWN IN RAISED POSITION